






# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS

Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE  
 Email: info@lotosafetyproducts.com www.lotosafetyproducts.com




Sl. No.	Description	Image
1.	<p>8.1 ATPV, HRC 2 rated, 88% cotton, 12% Modacrylic. FR Treated Arc Flash Shirt.</p> <p>Make : BULWARK (USA)            Model : SLU8LB            Colour : Light Blue</p> <p>Sizes: S - 3XL</p>	
2.	<p>10.6 ATPV, HRC 2 rated, 100% cotton FR Treated, Arc Flash Trousers with 2 slack type front &amp; 2 back pockets.</p> <p>Make : BULWARK (USA)            Model : PEW2NV            Colour : Navy Blue</p> <p>Sizes: 28 – 52 waist.</p>	
3.	<p>10.1 ATPV, HRC 2 rated, Inherently FR , Arc Flash Trousers with 2 slack type front, 2 back, 1 cargo &amp; 1 Cell phone pocket on sides.</p> <p>Make : BULWARK (USA)            Model : PMU2NV            Colour : Navy Blue</p> <p>Sizes: 28 – 52 waist.</p>	



# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS

Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE  
 Email: info@lotosafetyproducts.com www.lotosafetyproducts.com




Sl. No.	Description	Image
4.	<p>10.6 ATPV, HRC 2 rated, 100% cotton FR Treated Arc Flash Jacket.</p> <p>Make : BULWARK (USA)            Model : JEW2NV            Colour : Navy Blue  <b>Sizes: S - 3XL</b></p> <p>Jacket has 2 side pockets, 1 sleeve pocket, full length zip.</p>	
5.	<p>8.7 ATPV, HRC 2 rated, 88% cotton, 12% Nylon FR Treated Coverall.</p> <p>Make : BULWARK (USA)            Model : CLD4            Colour : Navy Blue  <b>Numeric Sizes: 34 - 56</b></p> <p>Coverall has 2 angled front pockets with flaps and 1 sleeve pocket.</p>	
6.	<p>HRC2* Deluxe Shield, 12 cal/cm<sup>2</sup> ATPV, 59% VLT, Scratch Resistant &amp; Antifog coated with Side Shield Extenders meeting NFPA 70E regulations.</p> <p>Faceshield : OBERON (Made in USA)            Model : 21ARC12AF-A3+500            Hard Hat: MSA (Made in USA)            Model: V-GARD (e-compliant)            Supplied as a set Faceshield + Hard Hat.  <b>MSA Hard Hat is offered with Oberon faceshield.</b></p>	



# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS

Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE  
 Email: info@lotosafetyproducts.com www.lotosafetyproducts.com




Sl. No.	Description	Image																										
7.	<p>11.0 ATPV FR Balaclava Sock Hood</p> <p>Make : NSA (Made in USA)            Model : H11RY</p> <p>One size fits all</p>																											
8.	<p>Safety Shoes, Black Evolution / Soft-Touch Leather, Men's Comfort Lace-Up.</p> <p>Make : MELLOW WALK (Canada)            Model : QUENTIN 570049</p> <p><b>ELECTRIC SHOCK RESISTANT</b></p>  <p>Lining: Moisture wicking Drilex nylon / foam. Removable DreamFit Comfort PU / Foam.</p> <p>Low Ankle with PU Sole, Grade 1 Metal Toe. <b>Outsole is ESR 18000V, CSA certified.</b></p> <p>Standards: CSA Z 195-10, ASTM F 2412-05 Grade 1 toe protection upto 125 Joules Puncture Protection.</p> <p><u>Sizes:</u></p> <table border="1" data-bbox="304 1440 815 1921"> <thead> <tr> <th>Quentin – SIZE</th> <th>European - SIZE</th> </tr> </thead> <tbody> <tr><td>7</td><td>39</td></tr> <tr><td>7.5</td><td>40</td></tr> <tr><td>8</td><td>41</td></tr> <tr><td>8.5</td><td>42</td></tr> <tr><td>9</td><td>42.5</td></tr> <tr><td>9.5</td><td>43</td></tr> <tr><td>10</td><td>44</td></tr> <tr><td>10.5</td><td>44.5</td></tr> <tr><td>11</td><td>45</td></tr> <tr><td>12</td><td>46</td></tr> <tr><td>13</td><td>47</td></tr> <tr><td>14</td><td>48</td></tr> </tbody> </table>	Quentin – SIZE	European - SIZE	7	39	7.5	40	8	41	8.5	42	9	42.5	9.5	43	10	44	10.5	44.5	11	45	12	46	13	47	14	48	
Quentin – SIZE	European - SIZE																											
7	39																											
7.5	40																											
8	41																											
8.5	42																											
9	42.5																											
9.5	43																											
10	44																											
10.5	44.5																											
11	45																											
12	46																											
13	47																											
14	48																											



# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS

Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE  
 Email: info@lotosafetyproducts.com www.lotosafetyproducts.com


SI. No.	Description	Image
9.	<p>Electrician Insulated Linemen's gloves, Beaded Cuff.</p> <p>Make : NOVAX (Malaysia)            Model : CLASS 00 - 280mm LENGTH            Working Voltage : 500V            Test Voltage : 2500V</p> <p>Standards: NOVAX Rubber Insulating Gloves have been tested and certified under the EN 60903 and ASTM D120 standards.</p> <p>Glove Features:</p> <ol style="list-style-type: none"> <li>1. Date of manufacture</li> <li>2. Serial No.</li> <li>3. Standards</li> <li>4. Max Voltage use specified</li> <li>5. Brand</li> <li>6. Country of Manufacture</li> <li>7. Complete traceability</li> </ol> <p>Model No: LIG-CL00-11-ORBC-NVX            Sizes available 9 &amp; 10.</p>	 <div data-bbox="1050 952 1380 1030" style="border: 1px solid black; padding: 5px; text-align: center;"> <p>BEADED CUFF</p> </div> 
	<p>Model : CLASS 0 - 360mm LENGTH            Working Voltage : 1000V            Test Voltage : 5000V            Model No: LIG-CL0-14-ORBC-NVX</p> <p>Model : CLASS 1 - 360mm LENGTH            Working Voltage : 7500V            Test Voltage : 10000V            Model No: LIG-CL1-14-ORBC-NVX</p> <p>Model : CLASS 2 - 360mm LENGTH            Working Voltage : 17000V            Test Voltage : 20000V            Model No: LIG-CL2-14-ORBC-NVX</p> <p>Model : CLASS 4 - 460mm LENGTH            Working Voltage : 36000V            Test Voltage : 40000V            Model No: LIG-CL4-18-ORBC-NVX</p>	



# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS

Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE  
 Email: info@lotosafetyproducts.com www.lotosafetyproducts.com



Sl. No.	Description	Image
10.	<p>Leather Protector Gloves for Linemen's Insulated Gloves.  <b>Range (Class 2 &amp; 4).</b></p> <p>Make : NOVAX – Malaysia</p> <p>Model No: LPG-NVX</p> <p>Please note this is not Insulated Gloves. This gloves are used only for protecting the Insulated Gloves.</p>	
11.	<p>Glove Carry Bag, White Color for Insulated Gloves CLASS 2 to CLASS 4.</p> <p>Model No: GCB-W</p>	
12.	<p>Safety Spectacles.</p> <p>Make : CANASAFE (USA / Canada)</p> <p>Model: SamaRay 20060</p> <p>SamaRay™ offers a tough reliable design, with integral sideshields, nosebridge and nylon frame.i-Cote™ Anti-Fog/Anti-Scratch coating.</p>	
13.	<p>Bright Star 2 Cell Yellow/Black Industrial.</p> <p>Make : Brightstar (USA)</p> <p>Model : BS-2618+Batt</p> <p>(Supplied with 2 Pcs. Energizer 'D' Alkaline batteries).</p>	



# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS

Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE  
 Email: info@lotosafetyproducts.com www.lotosafetyproducts.com





Sl. No.	Description	Image
14.	<p>Carry Bag Trolley type for Electrician Service Kit (UAE)</p> <p>Brand : COSMO            Model : LPTYXX051            Size : L74 x W39 x H33 cms.</p>	<p>Duffle trolley Travel Plus</p> 
15.	<p>Electrician's Lockout &amp; Tagout Kit. Includes:</p> <ol style="list-style-type: none"> <li>2 Nos. Padlocks Red Colour, Key Different, Nylon Insulated Shackle, 1 Key per lock. Model: 3PTP-RKDNC40</li> <li>2 Nos. Danger Tags. Model: S1-TAGD-01</li> <li>1 Set. COMBO Miniature Circuit Breaker Lockouts. 3 Pcs. Per Set Model: CB-COMBO-CTBL</li> <li>2 Nos. Circuit Breaker Locking Device, Universal type for Multipole MCB &amp; MCCB, Hand Tightening. Model No: CB-UNI-HT</li> <li>1 No. Marker for Tags Model: LSP-Marker</li> <li>1 Nos. Vinyl Coated Hasp - Small Model: HSP-VCH-S</li> <li>1 Nos. LOTO Pouch customized with logo</li> </ol> <p>Model No: LSP-LOTO-KIT-CUS</p> <p><b>We can customize individual technician kits to any specification / products listed in our brochure.</b></p>	 <p>02 Pcs.</p> <p>02 Pcs.</p> <p>01 Set</p> <p>02 Pcs.</p> <p>01 Pc.</p> <p>01 Pc.</p>



# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS

Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE  
 Email: info@lotosafetyproducts.com www.lotosafetyproducts.com





Sl. No.	Description	Image
16.	<p>Flashing Yellow Light with Magnetic Base, powered by 4 Nos. AA "Energizer" batteries.</p> <p>Make : China</p> <p>Model No: LSP-FLSH-LITE</p> <p>Price inclusive of 4 Nos. AA Energizer batteries.</p>	
17.	<p>Non-Contact Voltage Detector.</p> <p>Make: AEMC (USA) with 1 year warranty &amp; Conformance Certificate.</p> <p>Model : 275 HVD</p> <p>Supply : 3 x 'C' Batteries</p> <p>Wide range of detection, finds 80V to 275kV Eight switch selectable voltage sensitivity ranges.</p>	 <p style="border: 1px solid black; padding: 2px; display: inline-block;">Insulated Rod not included</p>
18.	<p>Medium voltage Contact Type Detector.</p> <p>Make : WORK ITALIA (Made in Italy)</p> <p>Supply : Alkaline battery 9 V.</p> <p>Range : 4 – 40 KV  <span style="background-color: yellow;">(other voltages upto 420KV available on request).</span></p> <p>Model : RMT 1030</p>	 <p style="border: 1px solid black; padding: 2px; display: inline-block;">Insulated Rod not included</p>
19.	<p>Insulated Stick for Non-Contact Voltage Detector. Universal Sunrise fitting.</p> <p>Make : WORK ITALIA (Made in Italy)</p> <p>Length : 1.2 Mtrs.</p> <p>Origin : Italy</p> <p>Tested : 40KV</p> <p>Model No: P1-120U</p>	



# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS

Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE  
 Email: info@lotosafetyproducts.com www.lotosafetyproducts.com

Sl. No.	Description	Image
20.	<p>Blankets made of rubber. Class: 0.            Equipment is controlled and tested in accordance with EN61112:2009. Thickness: 1,3 mm ± 0,1 mm            Temperature range: -250C + 550C</p> <p>Weight: 1250 g/m2            Make : HUBIX (Made in Poland)            Model : H031 – 10</p> <p>Size: 1000 x 800mm – Plain blanket</p>	 <p style="text-align: center; border: 1px solid black; padding: 5px;"><b>PLAIN BLANKET</b></p>
21.	<p>Insulated Clamp controlled and tested (10kV/10s) in accordance with EN 60900:2004.</p> <p>Make : HUBIX (Made in Poland)            Model : H-034M            Working Voltage: 1000 V,            Jaws distance: 50mm</p> <p>For use with Insulated blanket, Class 0</p>	
22.	<p>Magnetic Caution Sign.            Make : LOTO</p> <p style="background-color: yellow;">Size: 200 x 100mm</p> <p>Model No: LSP-MCS-01</p>	
23.	<p>Magnetic Un-Authorised Sign            Make : LOTO</p> <p style="background-color: yellow;">Size: 200 x 100mm</p> <p>Model No: LSP-MCS-02</p>	









# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS

Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE

Email: info@lotosafetyproducts.com

www.lotosafetyproducts.com

Sl. No.	Description	Image
24.	<p>Electrician First Aid Kit (China) 10 Person Kit</p> <p><u>Includes:</u></p> <p>Bandages, Cold pack, Adhesive bandages, Sting relief wipes, First aid burn cream, PVP Wipes, Synthetic gloves, Angled scissors and Plastic forceps.</p> <p>Packing : Plastic case</p> <p>Model No: E-FAK-B</p>	
25.	<p>Safety Harness with Extra wide Work positioning belt &amp; Double Lanyards.</p> <p>Make: LIFTEK – UK (Made in UAE under licence), with Test Certs.</p> <p>Model: LX550 + LX121</p>	
26.	<p>Rescue Stick made of Polyester &amp; Fibreglass Tube, Dia. 32mm with Humidity Proof seals on each end, Hand Protector, Grip Tip, M-10 Metric Head &amp; Rescue hook.</p> <p>Make : SOFAMEL (Spain)</p> <p>Model : BS-45</p> <p>Length : 1.75 Mtrs</p> <p>Voltage : 45KV</p>	
27.	<p>Rescue Stick made of Polyester &amp; Fibreglass Tube, Dia. 32mm with Humidity Proof seals on each end, Hand Protector, Grip Tip, M-10 Metric Head &amp; Rescue hook.</p> <p>Make : SOFAMEL (Spain)</p> <p>Model : BS-66</p> <p>Length : 2.25 Mtrs</p> <p>Voltage : 66KV</p>	






# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS


Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE

Email: [info@lotosafetyproducts.com](mailto:info@lotosafetyproducts.com)

[www.lotosafetyproducts.com](http://www.lotosafetyproducts.com)

Sl. No.	Description	Image
28.	<p>Flexible Barrier, Plastic.</p> <p>Height : 0.96 Mtr            Open Length : 250 cms            Closed Length : 24 cms            Make : China</p> <p>Model No: LSP-FLEX-BAR</p>	
29.	<p>Safety Reflector Vest (China)</p> <p>Colour: Yellow with silver reflector strips.</p> <p>Sizes : L, XL, 2XL</p> <p>Model No: LSP-RV</p>	
30.	<p>Insulated Platform for Electricians</p> <p>Make : Sofamel</p> <p>Size : L 525 x W 525 x H 305 mm</p> <p>Voltage : 45 OR 66KV</p> <p>Origin : Spain</p> <p>Model No:</p>	





Sl. No.	Description	Image
31.	<p><b>UNIPOLAR EARTHING DEVICE</b>  <b>WIBM-D-P7/6-MT25-UNI</b>            IN CONFORMITY WITH INTERNATIONAL STANDARD IEC 61230            Icc of complete device 15,1 kA/1s</p> <p><b>PC/BM-DIN</b> Screw type <b>universal</b> contact clamp made by press forged brass tested for high intensity current. DIN attack tang and screw clamping made by galvanized steel.</p> <p>Possibility to connect the copper cable in three different positions.</p> <p><b>Clamping capacity:</b></p> <ul style="list-style-type: none"> <li>* conductors 5-40 mm diameter;</li> <li>* flat conductors 40x60 mm;</li> <li>* bars on horizontal level 12x60 mm;</li> <li>* 45° slanting bars up to 28 mm thickness</li> </ul> <p>Extra flexible electrolytic copper cable covered by transparent PVC sheath, section 70mmq, and length 6 m., complete at the extremities of tinning copper lugs and reinforcements by transparent heat-shrink sheath.</p> <p>Ground clamp for ball fixed point MT25. Body and plug made by press forged brass tested for high intensity current. Galvanized steel screw clamping with metallic handle.</p> <p><b>Clamping capacity:</b></p> <ul style="list-style-type: none"> <li>* round earth points 25 mm diameter;</li> <li>* round conductors up to 22 mm diameter;</li> <li>* flat bars up to 22 mm.</li> </ul> <p><b>Model No: WIBM-D-P7/6-MT25-UNI</b></p>	



# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS

Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE  
 Email: info@lotosafetyproducts.com www.lotosafetyproducts.com

Sl. No.	Description	Image
32.	<p>High insulating rod made by polyester resin reinforced by fibreglass tube, external diameter 40mm, yellow colour. Part No. P2/300DIN</p> <p>Total length 3 m in two elements, each 1,5 m. length, complete of:</p> <ul style="list-style-type: none"> <li>a.) quick couplers to connect the two elements;</li> <li>b.) insulating lower closing cap and hand guard onto the base element;</li> <li>c.) aluminium bayonet DIN attack, closing cap and hand guard.</li> </ul> <p style="background-color: yellow; color: red; font-weight: bold;">Note: the contact clamps of earthing device are installed on the phase by an insulating rod so, it is not an option.</p> <p>Model No: P2/300DIN</p>	
33.	<p><b>STATIC ELECTRICITY DISCHARGE EQUIPMENT</b></p> <p><b>TYPE WIP1/160FA-GSO-P2/2-MT33</b></p> <p>The equipment is composed by:</p> <ul style="list-style-type: none"> <li>a.) high insulating stick made by polyester resin reinforced by fibreglass tube, our type P1/160FA-GSO, length 1,6 m., complete of:</li> <li>b.) metallic hook with male threaded 10MA tang inserted in the hole of the lug of the cable and</li> <li>c.) insulating lower cap and hand guard</li> <li>d.) extra flexible electrolytic copper cable covered by transparent PVC sheath, section 25mm<sup>2</sup>, length 2 m., complete at the extremities of tinning copper lugs and reinforcements by transparent heat-shrink sheath.</li> <li>e.) ground clamp MT33: body and plug made by press forged brass tested for high intensity current; Galvanized steel screw clamping with metallic handle; clamping capacity: round conductors and bars up to 33mm.</li> </ul> <p>The threaded tang of metallic hook is inserted in the hole of the free lug of ground cable before to be screwed well onto the head of the stick to assure the electric continuity between the hook and the free lug of the cable.</p> <p>Model No: WIP1/160FA-GSO-P2/2-MT33</p>	



# LOTO Safety Products DMCC

LOCKOUT / TAGOUT (LOTO) & ARC FLASH PROTECTION PPE SOLUTIONS

Tel: +971-4-4539779, Fax: +971-4-4539778, P.O. Box 114738, Dubai - UAE

Email: [info@lotosafetyproducts.com](mailto:info@lotosafetyproducts.com)

[www.lotosafetyproducts.com](http://www.lotosafetyproducts.com)

Sl. No.	Description	Image
34.	<p><b>BRAND: NSA (USA)</b></p> <p>Level IV (40 cal) (no gloves) kit (w/ear plugs). <b>NORFAB (Revolite), Inherently FR Fabric.</b></p> <p><b>Includes the following items:</b></p> <ul style="list-style-type: none"> <li>A. Short coat 40 Cal/cm2.</li> <li>B. Bib overall 40 Cal/cm2.</li> <li>C. Switchgear Hood w/ Hard Hat, 40 Cal. <b>with in-built Cross Vent fans.</b></li> <li>D.Hood bag</li> <li>E. Safety glasses</li> <li>F. Arc Rated Ear plugs</li> <li>G. Gear bag</li> </ul> <p><b>Model No: KIT4SCLT40-NGP</b></p> <p><b>Sizes: Small to XXXL excluding insulated gloves.</b></p> <p><b>**Pls refer attached PDF of RevoLite clothing and also the Test Report.</b></p> <p>Sizing charts for our C04, coat, and C45, bib overall, are also attached.</p>	