


# LOTO-LOK<sup>®</sup> 3PTP SAFETY LOCKOUT PADLOCKS







# LOTO-LOK<sup>®</sup>

## 3PTP PLASTIC SAFETY LOCKOUT PADLOCKS



# 3PTP<sup>®</sup> 3 POINT TRACEABILITY PADLOCK





The **DUO 2-in-1 non-conductive** shock, rust & weather proof nylon shackle with a Stainless Steel 304 inner core has higher cut resistance than traditional plastic shackles which can be easily destroyed.



**NEW!**

**DUO 2-in-1**

NON-CONDUCTIVE SHACKLE

**COMBINES**

THE STRENGTH OF  
STAINLESS STEEL

&

DI-ELECTRIC PROPERTIES  
OF NYLON

**Suitable for both Electrical  
& Mechanical LOTO**



# LOTO-LOK®



**BODY:** Tough Nylon PA66 construction. Non-spark, non-conductive, rust & weather body. Stands upto drops. Withstands upto 250 Deg. C temperature, UV & chemical resistant. Optimal in erosive & corrosive environment. Ideal for long term outdoor LOTO.

Name, Numbers or logo customization available.

**Cylinder:** 6 pin pick resist cylinder, upto 5000 keyed Different combinations in each color 40mm and 80mm shackle lengths.


Glow-in-The-Dark photo luminescent sticker enhances visibility in dark or low light conditions.

**Eight colors:** Red, Blue, Yellow, Green, Orange, Black, Purple & White.

Key Retaining feature ensures keys cannot be removed until padlocks are closed.

**Shackle Material:** SS304 (rust and cut resistant) OR Non-Conductive shackle.

**KEYS:** 2 Unique keys with every Keyed Different (KD) padlock & 1 key with every Keyed Alike (KA) Padlock.



## REGULAR SHACKLE DIMENSIONS

Size (mm)	Body Width (mm)	Body Thk. (mm)	Body Length (mm)	Total Height (mm)	Shackle Height (mm)	Shackle Dia. (mm)
40mm	40.00	20.00	48.20	94.20	40.00	5.00

## LONG SHACKLE DIMENSIONS

Size (mm)	Body Width (mm)	Body Thk. (mm)	Body Length (mm)	Total Height (mm)	Shackle Height (mm)	Shackle Dia. (mm)
40mm	40.00	20.00	48.20	134.20	80.00	5.00

# 3PTP<sup>®</sup> PADLOCK KEY SYSTEMS

## KEYED DIFFERENT (KD)


Each Keyed Different padlock operates with a unique key ensuring the highest security for the end user.

This means all locks are **uniquely keyed**, a key of one lock will not fit any other lock in the same or different color groups.

**Locks have to be destroyed if keys are lost or misplaced.**

Each color group in the 3PTP<sup>®</sup> range has up to 5000 unique Key Different combinations.

**3PTP<sup>®</sup> padlocks in Keyed Different system come with 2 Unique keys with each padlock.**



## KEYED ALIKE (KA)

Keyed Alike padlocks operate with a common key, one key opens all locks in the same number group.


Ideal for situations where one employee is authorized for locking out different energy sources during LO/TO operations. One Key opens all locks reducing downtime on maintaining records of different keys.

However "same key" convenience could pose problems if keys can be accessed by other employees as it could compromise individual security.

KA padlocks can be customized per group **OR** color. Groups start from 2 or more padlocks to several hundreds, each KA group operates with a Different Keyed Alike Key.

Specify number of Groups and quantity of locks per group when ordering.

**3PTP<sup>®</sup> padlocks in Keyed Alike system come with 1 Key Alike with each padlock.**



## KEYED DIFFERENT & MASTER KEYED (KD&MK)

Each lock in a KD+MK system is Uniquely Keyed and also has an override Master Key which opens all locks in a particular color group irrespective of the shackle type or length.


This permits organizing master key systems along departmental or other functional lines to allow supervisory or emergency access.

Master Keys are coded per color, making it easier to order spare MK's at a later stage by stating the color of the lock.

**Groups of locks with separate Master Keys cannot be generated in the 3PTP® system.**

**All 3PTP® padlocks in Keyed Different + Master Keyed system come with 2 Unique Keys per padlock as standard.**

**Master Keys are available in 1 or multiples and ordered separately.**




## KEYED ALIKE & MASTER KEYED (KA&MK)

Each group of lock in KA+MK system opens with a separate keyed Alike key in the same color range.

A Master key opens all groups of differently keyed Alike locks in the same color.

**All 3PTP® padlocks in keyed Alike + Master keyed system come with 1 Key Alike per padlock as standard.**

**Master Keys are available in 1 or multiples and are ordered separately.**





# 3PTP<sup>®</sup> PADLOCK SELECTION GUIDE

- Padlock selection plays an important role in LOTO Programs.
- The 3PTP<sup>®</sup> padlock range consists of 96 variations comprising color, shackle type, length and key systems.
- Selecting padlocks for different environs and energy sources is easy with the legends providing details of each alphabet / number.
- 8 Colors, 3 Key systems, 2 Shackle types and lengths are defined in the model numbers.

**3** → 3

**P** → POINT

**T** → TRACEABILITY

**P** → PADLOCK

**R** → COLOR: RED

<b>R</b>	<b>B</b>	<b>Y</b>	<b>G</b>	<b>N</b>	<b>O</b>	<b>P</b>	<b>W</b>	<b>BN</b>	<b>GY</b>
Red	Blue	Yellow	Green	Noir (Black)	Orange	Purple	White	Brown	Grey

**K**  
**D** → KEYED DIFFERENT

<b>K</b> <b>D</b>	<b>K</b> <b>A</b>	<b>K</b> <b>D</b> <b>M</b> <b>K</b>
Keyed Different	Keyed Alike	Keyed Different & Master Keyed

**R**  
**4**  
**0** → REGULAR SHACKLE  
(40mm Shackle Length  
SS304 Grade)

<b>R</b> <b>4</b> <b>0</b>	<b>L</b> <b>8</b> <b>0</b>	<b>N</b> <b>4</b> <b>0</b>	<b>N</b> <b>8</b> <b>0</b>
REGULAR SHACKLE (40mm Shackle Length SS304 Grade)	LONG SHACKLE (80mm Shackle Length SS304 Grade)	NON-CONDUCTIVE SHACKLE (40mm Shackle Length)	LONG SHACKLE (80mm Shackle Length)






# 3PTP<sup>®</sup> PADLOCK MODEL NUMBERS


## KEYED DIFFERENT

Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3TPRKDR40	3TPRKDL80	3TPRKDN40	3TPRKDN80
YELLOW	3TPYKDR40	3TPYKDL80	3TPYKDN40	3TPYKDN80
BLUE	3TPBKDR40	3TPBKDL80	3TPBKDN40	3TPBKDN80
GREEN	3TPGKDR40	3TPGKDL80	3TPGKDN40	3TPGKDN80
ORANGE	3TPOKDR40	3TPOKDL80	3TPOKDN40	3TPOKDN80
NOIR (Black)	3TPNKDR40	3TPNKDL80	3TPNKDN40	3TPNKDN80
PURPLE	3TPPKDR40	3TPPKDL80	3TPPKDN40	3TPPKDN80
WHITE	3TPWKDR40	3TPWKDL80	3TPWKDN40	3TPWKDN80
BROWN	3TPBNKDR40	N/A	N/A	N/A
GREY	3TPGYKDR40	N/A	N/A	N/A



## KEYED DIFFERENT + MASTER KEYED


Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3TPRKDMKR40	3TPRKDMKL80	3TPRKDMKN40	3TPRKDMKN80
YELLOW	3TPYKDMKR40	3TPYKDMKL80	3TPYKDMKN40	3TPYKDMKN80
BLUE	3TPBKDMKR40	3TPBKDMKL80	3TPBKDMKN40	3TPBKDMKN80
GREEN	3TPGKDMKR40	3TPGKDMKL80	3TPGKDMKN40	3TPGKDMKN80
ORANGE	3TPOKDMKR40	3TPOKDMKL80	3TPOKDMKN40	3TPOKDMKN80
NOIR (Black)	3TPNKDMKR40	3TPNKDMKL80	3TPNKDMKN40	3TPNKDMKN80
PURPLE	3TPPKDMKR40	3TPPKDMKL80	3TPPKDMKN40	3TPPKDMKN80
WHITE	3TPWKDMKR40	3TPWKDMKL80	3TPWKDMKN40	3TPWKDMKN80



# 3PTP<sup>®</sup> PADLOCK MODEL NUMBERS


## KEYED ALIKE

Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3PTPRKAR40	3PTPRKAL80	3PTPRKAN40	3PTPRKAN80
YELLOW	3PTPYKAR40	3PTPYKAL80	3PTPYKAN40	3PTPYKAN80
BLUE	3PTPBKAR40	3PTPBKAL80	3PTPBKAN40	3PTPBKAN80
GREEN	3PTPGKAR40	3PTPGKAL80	3PTPGKAN40	3PTPGKAN80
ORANGE	3PTPOKAR40	3PTPOKAL80	3PTPOKAN40	3PTPOKAN80
NOIR (Black)	3PTPNKAR40	3PTPNKAL80	3PTPNKAN40	3PTPNKAN80
PURPLE	3PTPPKAR40	3PTPPKAL80	3PTPPKAN40	3PTPPKAN80
WHITE	3PTPWKAR40	3PTPWKAL80	3PTPWKAN40	3PTPWKAN80



## KEYED ALIKE + MASTER KEYED

Color	Shackle: SS304 Grade REGULAR: 40mm Height	Shackle: SS304 Grade LONG: 80mm Height	Shackle: Non Conductive REGULAR: 40mm Height	Shackle: Non Conductive LONG: 80mm Height
	MODEL No.	MODEL No.	MODEL No.	MODEL No.
RED	3PTPRKAMKR40	3PTPRKAMKL80	3PTPRKAMKN40	3PTPRKAMKN80
YELLOW	3PTPYKAMKR40	3PTPYKAMKL80	3PTPYKAMKN40	3PTPYKAMKN80
BLUE	3PTPBKAMKR40	3PTPBKAMKL80	3PTPBKAMKN40	3PTPBKAMKN80
GREEN	3PTPGKAMKR40	3PTPGKAMKL80	3PTPGKAMKN40	3PTPGKAMKN80
ORANGE	3PTPOKAMKR40	3PTPOKAMKL80	3PTPOKAMKN40	3PTPOKAMKN80
NOIR (Black)	3PTPNKAMKR40	3PTPNKAMKL80	3PTPNKAMKN40	3PTPNKAMKN80
PURPLE	3PTPPKAMKR40	3PTPPKAMKL80	3PTPPKAMKN40	3PTPPKAMKN80
WHITE	3PTPWKAMKR40	3PTPWKAMKL80	3PTPWKAMKN40	3PTPWKAMKN80



# 3PTP<sup>®</sup> 3 POINT TRACEABILITY PADLOCK



**NEW**

GREY



Model No.: 3PTPGYKDR40

BROWN



Model No.: 3PTPBNKDR40

**STAINLESS STEEL  
(SS304 GRADE)  
SHACKLE**



# LOTO-LOK<sup>®</sup>

## ORIGINAL VS KNOCK-OFFS

### ORIGINAL VS. KNOCK-OFFS

LOTO-LOK<sup>®</sup> 3PTP<sup>®</sup> Safety Lockout Padlock's *patented* features and popularity has given rise to many similar looking products being marketed by unscrupulous companies.

Cheap knockoffs can have a detrimental effect in critical LOTO programs. Listed below is a checklist to ensure you are purchasing the original **LOTO-LOK<sup>®</sup> 3PTP<sup>®</sup>** safety padlock.

#### LOTO-LOK<sup>®</sup> 3PTP<sup>®</sup> SAFETY LOCKOUT PADLOCKS

1. LOTO-LOK<sup>®</sup> brand molded on the front side at bottom of the padlock body.



LOTO-LOK molded in padlock body front side

2. 3PTP<sup>®</sup> mark molded on the top of the padlock body.



Check for 3PTP mark on top of each body

#### KNOCK-OFF PADLOCKS

1. Plain body / different brands printed on bottom.



No Brand names / laser printed names

2. Plain surface - no marks.



Plain surface - NO marks molded on body.

3. Every padlock has the Key System *molded* into the padlock body on front side. Look for KEY DIFFERENT / KEY ALIKE / KEY DIFFERENT & MK molded on the body. Key system on body helps initiate quick action in the event of misplaced or lost keys.

3. Key system not molded on body. Some brands laser engrave the key system to pass off as the original.



Key system molded on top side on front of every body to identify and initiate action for lost or misplaced keys.

Key System not defined or molded on padlock body.

4. All LOTO-LOK padlock cylinders are manufactured from high quality Brass alloy with 60% copper content.

4. Zinc cylinders prone to rusting in faster in chemical and saline environment.



Zinc alloy cylinder

Rust resistant, brass alloy cylinder with 60% copper content.

Low cost zinc cylinder, prone to rusting.

5. LOTO-LOK padlock shackles are standard **5.0mm** diameter made from Stainless Steel Grade 304.

Our new **DUO-2in1** non-conductive shackle comprises a Stainless Steel Grade 304 inner core extruded over with hard wearing Nylon PA66 outer shell.

The **DUO 2in1** shackle is completely rust, weather and shock proof and has a higher cut resistance than traditional plastic shackles.



Stainless Steel Grade 304 shackles standard on all metal shackle padlocks.

Standard shackle diameter **5.0mm** on all padlocks.

**DUO 2in1** Shackle SS304 Core extruded with PA66 Nylon shell. 100% rust, weather & shock proof.

Higher cut resistance than traditional plastic shackles.

6. Dimple Key design standard on all LOTO-LOK padlocks, design, difficult to replicate.



Standard Dimple key design, difficult to replicate.

5. Shackle diameter is **6.0mm**. Steel chromeplated shackle rusts quickly in saline conditions. Ordinary Plastic shackle.



Steel Chromeplated shackles rusts quickly in saline environments standard shackle diameter 6.0mm also available in 4.7mm.

Ordinary plastic shackle in non-conductive padlocks.


6. Different key designs.



Different key designs

## LOTO-LOK 3PTP SAFETY LOCKOUT PADLOCKS

7. Color coded key jackets on all keys with **LOTO-LOK<sup>®</sup>** brand name molded on one side and **SAFETY LOCKOUT** molded on the other side



Color coded key jackets with LOTO-LOK brand on one side and SAFETY LOCKOUT molded on the other side

8. 2 Neoprene rubber bushes with each padlock packed in box. Keyway cover to prevent dirt and moisture ingress into cylinder. Our patent covers these 2 designs. Patent numbers published.



Patented Design, request Patent documents prior to purchase

## KNOCK-OFF PADLOCKS

7. Color jackets without brand name **OR** plain keys without jackets.



Plain keys without jackets or brand names.

8. Exact copies of the rubber bush and key cover. Marketed as DUST PROOF padlocks. Infringing on patent design of the 3PTP<sup>®</sup> Padlock.



Sold as "Dust Proof Padlocks" in violation of our patent by uncrupulous companies Request Patent proof from vendor prior to purchase.



# LOTO-LOK<sup>®</sup>

## 2PTP-STEEL LAMINATED SAFETY LOCKOUT PADLOCKS





# 2PTP-S PADLOCK FEATURES

1

Tough Steel Laminated Body with chrome plated steel shackles

2

key System & Key nos. laser engraved on padlock body and key permits fast traceability between Padlock & Key, ideal for small or large LO/TO Programs. Additionally, key system is also printed on vinyl sticker for identification initiate appropriate action in the event of lost or misplaced keys.

3

**DANGER- DO NOT OPERATE** vinyl sticker with printed key System, space for writing owners name and padlock nos. provides clear and visible warning, ideal for LO/TO implementation.

4

Standard 40mm body width comes with 2 Shackle options: 24 and 63mm shackle lengths.

5

Cut resist 6.5mm diameter steel chrome plated shackles.

6

Pick resistant 5 Pin cylinders on all locks.

7


Non-Key Retaining facility.

8

3 Key Systems enables customization of LO/TO Programs to suit different energy sources.


9

Padlocks are fixed with color coded bumpers for customizing different energy sources or team.  
Blue, Green, Orange, Black, Purple and White to color code individual or groups of locks to denote energy/team identification.



Dimensions:

Body Width (mm)	Body Height (mm)	Body Thick (mm)	Vertical Clearance (mm)	Shackle Dia (mm)	Total Height (mm)
40.00	33.00	22.50	24.00	6.00	64.00



Dimensions:

Body Width (mm)	Body Height (mm)	Body Thick (mm)	Vertical Clearance (mm)	Shackle Dia (mm)	Total Height (mm)
40.00	33.00	22.50	47.00	6.00	86.50

# 2PTP-S PADLOCK KEY SYSTEM

## KEYED DIFFERENT

Each Keyed Different padlock operates with a unique key ensuring the highest security for the end user.

This means all locks have different key combinations, no two keys are the same and each key is unique to that lock and will not open any other lock.

**2PTP-STEEL laminated safety padlocks in Keyed Different system come with 2 Unique keys as standard.**

*Keyed Different padlocks cannot be Master Keyed, locks have to be destroyed if keys are lost or misplaced.*



Bumper Color	Shackle: Steel Chrome Plated SHORT: 24mm Height	Shackle: Steel Chrome Plated LONG: 63mm Height
MODEL No.		MODEL No.
RED	2PTPSRKDS24	2PTPSRKDL47
YELLOW	2PTPSYKDS24	2PTPSYKDL47
BLUE	2PTPSBKDS24	2PTPSBKDL47
GREEN	2PTPSGKDS24	2PTPSGKDL47
ORANGE	2PTPSOKDS24	2PTPSOKDL47
NOIR (Black)	2PTPSNKDS24	2PTPSNKDL47
PURPLE	2PTPSPKDS24	2PTPSPKDL47
WHITE	2PTPSWKDS24	2PTPSWKDL47

## KEYED ALIKE


Keyed Alike padlocks operate with a common key, one key opens all locks in the same group.

Standard groups consist of between 2 - 100 padlocks per group.

KA padlocks can be customized to several hundreds, each KA group operates with a Different Keyed Alike Key.

**2PTP-STEEL padlocks in Keyed Alike system come with 1 Key Alike per lock as standard.**

*Key codes are not recorded, spare keys if required should be included with order.*



Bumper Color	Shackle: Steel Chrome Plated SHORT: 24mm Height	Shackle: Steel Chrome Plated LONG: 63mm Height
MODEL No.		MODEL No.
RED	2PTPSRKAS24	2PTPSRKAL47
YELLOW	2PTPSYKAS24	2PTPSYKAL47
BLUE	2PTPSBKAS24	2PTPSBKAL47
GREEN	2PTPSGKAS24	2PTPSGKAL47
ORANGE	2PTPSOKAS24	2PTPSOKAL47
NOIR (Black)	2PTPSNKAS24	2PTPSNKAL47
PURPLE	2PTPSPKAS24	2PTPSPKAL47
WHITE	2PTPSWKAS24	2PTPSWKAL47

## KEYED DIFFERENT + MASTER KEYED


Each lock in a KD+MK system comes with 2 unique keys per lock and a Master Key opens all locks in a particular batch.

Separately Master Keyed batches can be ordered ranging from 2 - 100 padlocks.

*Padlocks over 100 upto 1000 Pcs. per batch operating on a single Master Key can be customized on request.*

**2PTP-STEEL padlocks in Keyed Different system come with 2 Unique keys as standard. Master Keys are available in 1 or multiples and are ordered separately.**

*Master Keys available at time of order ONLY as key codes are not recorded.*



Bumper Color	Shackle: Steel Chrome Plated SHORT: 24mm Height	Shackle: Steel Chrome Plated LONG: 63mm Height
MODEL No.		MODEL No.
RED	2PTPSRKDMKS24	2PTPSRKDMKL47
YELLOW	2PTPSYKDMKS24	2PTPSYKDMKL47
BLUE	2PTPSBKDMKS24	2PTPSBKDMKL47
GREEN	2PTPSGKDMKS24	2PTPSGKDMKL47
ORANGE	2PTPSOKDMKS24	2PTPSOKDMKL47
NOIR (Black)	2PTPSNKDMKS24	2PTPSNKDMKL47
PURPLE	2PTPSPKDMKS24	2PTPSPKDMKL47
WHITE	2PTPSWKDMKS24	2PTPSWKDMKL47

**LOTO-LOK<sup>®</sup>** is a registered brand name of LOTO Safety Products DMCC, Dubai (UAE).



**LOGO** is a registered trademark of LOTO Safety Products DMCC, Dubai (UAE).

**3PTP<sup>®</sup>** is a registered trademark of LOTO Safety Products DMCC, Dubai (UAE).

**Certain features of the 3PTP (3 Point Traceability Padlock) are protected by Patents in USA, UAE, KSA & EU.**

USA Patent No. US D702,103 S

USA Patent No. US D115/2012

KSA Patent No. 2964

EU Design Regn. No.002113423-0001

**3PTP<sup>®</sup>** denotes 3 Point Traceability Padlock.

**2PTP -S** denotes 2 Point Traceability Padlock-Steel.

### Notes:

LOTO logo, LOTO-LOK<sup>®</sup> & 3PTP<sup>®</sup> brand is the property of LOTO Safety Products DMCC, Dubai (UAE). Unauthorized use of brand names or trademarks will result in legal action being pursued.

All images and designs in this brochure is the property of LOTO Safety Products DMCC, Dubai (UAE). Written consent is required from LOTO Safety Products DMCC, Dubai (UAE) for use of images for commercial or other purposes.

### Disclaimer:

Upgrading product designs and features is continuous process at LOTO Safety Products DMCC. We reserve sole rights to make changes to any product, brochure or literature without prior notice.

LOTO Safety Products DMCC does everything within its control to ensure all its products are free from defects.

It is the obligation of the owner and/or the equipment operator to carefully read and understand the use of LOTO-LOK<sup>®</sup> Safety lockout padlocks and determine the correct selection.

The components of LOTO-LOK<sup>®</sup> Safety Padlocks are selected for optimum function, durability and appearance, LOTO Safety Products DMCC is not responsible for loss of damage caused by their malfunction or part failure, while operating the padlocks.

LOTO Safety Products DMCC is not responsible for damages to persons or property caused by improper use of padlocks. Damages to persons or property caused by failure of LOTO-LOK<sup>®</sup> safety padlocks to the extent that the law permits, any liability which may be incurred as a result of the use of a product manufactured or sold by LOTO Safety Products DMCC is limited to the cost of repairing or replacing the failed product or component at the discretion of LOTO Safety Products DMCC within the warranty period, and does not extend to any loss or damage which may be caused as a consequence of misuse or failure of the products.

LOTO Safety Products DMCC, its owner(s), its shareholder(s), or its agents shall not in any event be liable for economic loss of profits, indirect, special bodily injuries or consequential damages. By virtue of taking possession of any product marketed by LOTO Safety Products DMCC, the owner and/or the equipment operator agrees to the terms of this Disclaimer.








# LOCKOUT / TAGOUT & ARC FLASH PPE SAVES LIVES






Is your facility compliant to OSHA 29 CFR 1910.147 standard?

## LOCKOUT / TAGOUT

### PRODUCTS

-  Electrical Lockouts
-  Mechanical Lockouts
-  Safety Padlocks
-  Danger Tags
-  Group Lockout

### SERVICES

-  Identification
-  Assessment
-  Demonstration
-  Supply
-  Installation Support

### LOTO DEVICES, PADLOCKS AND TAGS FOR ISOLATION OF HAZARDOUS ENERGY



### ELECTRICAL SAFETY SOLUTIONS ARC FLASH PROTECTION PPE



**LOTO SAFETY REQUISITES TRADING L.L.C.**  
 Safety Solutions - Synergized  
 Tel:+971-4-4539779 Fax:+971-4-4539778 DUBAI - UAE  
 E-mail:info@lotosafetyproducts.com

**CALL US TODAY: +971-50-5843270**  
[www.lotosafetyproducts.com](http://www.lotosafetyproducts.com)