

mellow walk

Handcrafted in Canada since 1993



2020 Safety Footwear Collection



ASTM F2413-11 I/75 C/75 PR EH

New pattern: **DAVID 2**

Specifications

Width: 2E

Sizes: 7-11, 12, 13

Upper: Leather (Milan)


Sole: Thermal Rubber

Footbed: Removable

Safety Highlights







- ★ Steel Toe / ESR / PR Plate
- ★ Oil / Acid Resistant
- ★ Slip Resistant (see pg 28 for details)

507139

Ships From 







mellow walk

WOMEN

- 2  Athletic Leisure
- 4  Casual
- 6  Athletic Leisure
- 8  Metal-Free
- 10  Steel Toe
- 12  Steel Toe



MEN

- 16  Athletic Leisure
- 18  Casual
- 20  Athletic Leisure
- 22  Metal-Free
- 24  Steel Toe
- 26  Light Industrial

 **Made**


Safety Features

Mellow Walk safety shoes are certified to CSA and ASTM standards.



ASTM F2413-11 I/75 C/75 SD

Grade 1 toe protection (125 joules) with Static Dissipative sole (under 100 mOhm).



Grade 1 toe protection (125 joules) with Static Dissipative sole (under 35 mOhm).



ASTM F2413-11 I/75 C/75 PR EH

Grade 1 toe and plate protection. Electric Shock Resistant sole designed to withstand 18,000 volts.

WOMEN



ASTM F2413-11 I/75 C/75 SD

ATHLETIC LEISURE

Jessica

Width: E

Sizes: 5-11

Upper: Leather (Storm)

Sole: SBR Rubber

Footbed: Removable

Safety Highlights

- ★ Steel Toe / Static Dissipative
- ★ Oil / Acid Resistant
- ★ Non-Marking
- ★ Slip Resistant (see pg 28 for details)





Jessica
482072

Ships From  



Jessica
484072

Ships From  

Super SD

Do you want super powers at work? No cape or tights required. All you need is a pair of Mellow Walk's super SD safety shoes bearing the CSA SD+ marking. For 2020, Mellow Walk's Jessica and Owen, Daisy, Jamie and Patrick collections are all certified SD+ (under 35 mega Ohm).

WOMEN



ASTM F2413-11 I/75 C/75 SD

CASUAL

Jamie

Width: E

Sizes: 5-10.5

Upper: Microfibre

Sole: Dual Density PU

Footbed: Half Sock

Daisy

Width: E

Sizes: 5-11

Upper: Leather

Sole: Dual Density PU

Footbed: Removable

Safety Highlights

- ★ Steel Toe / Static Dissipative
- ★ Oil / Acid Resistant
- ★ Non-Marking
- ★ Slip Resistant
(see pg 28 for details)



Jamie

4085

Ships From





Daisy
420092

Ships From  



Daisy
424092

Ships From  



Daisy
498092

Ships From 



ASTM F2413-11 I/75 C/75 PR EH

ATHLETIC LEISURE

Jessica

Width: E

Sizes: 5-11

Upper: Leather (Storm)

Sole: SBR Rubber

Footbed: Removable

Safety Highlights

- ★ Steel Toe / ESR / PR Plate
- ★ Oil / Acid Resistant
- ★ Non-Marking
- ★ Slip Resistant (see pg 28 for details)





Jessica
482339

Ships From  



Jessica
486339

Ships From  

High-Top

For 2020, our new Jessica high-top is taking athleisure to a whole new level. Our new slip-resisting black sole, matte-black Storm leather, and big puffy collar make this boot so attractive, you may want to wear it before work, at work, after work, and maybe on the weekends as well.

WOMEN



ASTM F2413-11 I/75 C/75 PR EH

METAL-FREE

Maddy

Width: E

Sizes: 5.5 - 11

Upper: Leather

Sole: PU

Footbed: Removable

Safety Highlights

- ★ Metal-Free / ESR / PR Plate
- ★ Non-Marking
- ★ Slip Resistant (see pg 28 for details)





Maddy
481128
Ships From  



Maddy
446128
Ships From  



Maddy
446128x
Ships From 

WOMEN



ASTM F2413-11 I/75 C/75 PR EH

STEEL TOE

Vanessa & Ellie

Width: D

Sizes: 5.5 - 11

Upper: Leather (Secret)

Sole: Thermal Rubber

Footbed: Removable

Safety Highlights

- ★ Steel Toe / ESR / PR Plate
- ★ Non-Marking
- ★ Slip Resistant (see pg 28 for details)





Vanessa
402109

Ships From  



Ellie
429139

Ships From  

Side YKK zipper



Vanessa
412109

Ships From  

Side YKK zipper and
adjustable buckles

WOMEN



ASTM F2413-11 I/75 C/75 PR EH

STEEL TOE

Maddy

Width: E

Sizes: 5.5 - 11

Upper: Leather

Sole: PU

Footbed: Removable

Safety Highlights

- ★ Metal-Free / ESR / PR Plate
- ★ Non-Marking
- ★ Slip Resistant (see pg 28 for details)





Maddy
425049

Ships From 



Maddy
492049

Ships From 

100% Comfort

How do we create comfortable safety shoes? It's pretty simple. Start with a well-engineered shoe last that creates a generous, easy fit. Use soft linings and leathers that break-in easy. Finally, add in a good quality foam insole. What you are left with is a shoe comfortable enough for all-day wear.

A person wearing a red dress is shown from the waist up, holding a clipboard and a pen. The entire image is overlaid with a semi-transparent red filter. The person's face is partially visible, looking down at the clipboard. The background is dark and out of focus.

**Discover our
latest styles at**

**mellow
walk.com**



Mellow Walk Guarantee

Mellow Walks warrants its footwear against manufacturing defects for a period of six months from date of consumer purchase under normal wear and tear conditions. Mellow Walk maintains the right to reject credit for footwear that has been altered, abused, sold as final sale, or used for purposes not intended.

MEN



ASTM F2413-11 I/75 C/75 SD

ATHLETIC COMFORT

Owen

Width: EE

Sizes: 7-11, 12, 13

Upper: Leather (Storm)

Sole: SBR Rubber

Footbed: Removable

Safety Highlights

- ★ Steel Toe / Static Dissipative
- ★ Oil / Acid Resistant
- ★ Non-Marking
- ★ Slip Resistant (see pg 28 for details)





Owen
582072

Ships From  



Owen
584072

Ships From  

Shoes for Big Kids

These shoes contain no space-age polymers, no energy-absorbing compounds, and they definitely won't make you run faster. They don't even look high-tech. And for us, that is the point. Athleisure safety shoes in our new Storm leather. Made for adult tastes... namely looking good in any environment.

MEN



ASTM F2413-11 I/75 C/75 SD

CASUAL COMFORT

Patrick 2.0

Width: EE

Sizes: 7-11, 12, 13, 14

Upper: Leather (Milan)

Sole: PU / Rubber

Footbed: Removable

Safety Highlights

- ★ Steel Toe / Static Dissipative
- ★ Oil / Acid Resistant
- ★ Non-Marking
- ★ Slip Resistant (see pg 28 for details)

Patrick

Width: EE

Sizes: 7-11, 12, 13

Upper: Leather (Milan)

Sole: PU

Footbed: Half-Sock

Safety Highlights

- ★ Steel Toe / Static Dissipative+
- ★ Non-Marking
- ★ Slip Resistant (see pg 28 for details)





Patrick 2.0
538202

Ships From  



Patrick 2.0
545202

Ships From 



Patrick **5142 SE+**

Ships From 

MEN

AVAILABLE SUMMER 2020



ASTM F2413-11 I/75 C/75 PR EH

ATHLETIC LEISURE

Owen

Width: EE

Sizes: 7-11, 12, 13

Upper: Leather (Storm)

Sole: SBR Rubber

Footbed: Removable

Safety Highlights

- ★ Steel Toe / ESR / PR Plate
- ★ Oil / Acid Resistant
- ★ Non-Marking
- ★ Slip Resistant (see pg 28 for details)





Owen
582339

Ships From  



Owen
586339

Ships From  

ESR Athleisure for 2020

New for 2020, Mellow Walk's Owen and Jessica safety shoes are now available with an ESR sole. It's easy to remember: White sole = SD Black sole = ESR. All in our exclusive Storm matte-black leather. Owen and Jessica ESR with steel-toe and composite puncture-resistant plate.

MEN



ASTM F2413-11 I/75 C/75 PR EH

METAL-FREE

Quentin

Width: EE

Sizes: 7-11, 12, 13

Upper: Leather

Sole: Dual Density PU

Footbed: Removable

Safety Highlights

- ★ Metal-Free / ESR / PR Plate
- ★ Non-Marking
- ★ Slip Resistant (see pg 28 for details)





Quentin
541128

Ships From 



Quentin
542128

Ships From 



Quentin
590128

Ships From 

MEN



ASTM F2413-11 I/75 C/75 PR EH

STEEL TOE

Quentin & Jack

Width: EEE

Sizes: 7-11, 12, 13, 14

Upper: Leather

Sole: Dual Density PU

Footbed: Removable

Safety Highlights

- ★ Steel Toe / ESR / PR Plate
- ★ Non-Marking
- ★ Slip Resistant
(see pg 28 for details)



Quentin

547049


Features: Side Zipper

Ships From 



Jack
500089
Width: 4E (Extra-Wide)
Ships From  



Jack
556039
Ships From 



Quentin
550049
Ships From 



Quentin
570049
Ships From 

MEN



ASTM F2413-11 I/75 C/75 PR EH

LIGHT INDUSTRIAL

Patrick 2.0

Width: EE

Sizes: 7-11, 12, 13, 14

Upper: Leather

Sole: Dual Density PU / Rubber

Footbed: Removable Comfort

Safety Highlights

- ★ Steel Toe / ESR / PR Plate
- ★ Oil / Acid Resistant
- ★ Non-Marking
- ★ Slip Resistant (see pg 28 for details)





P2.0
515209
Ships From 



P2.0
517209
Ships From 



P2.0
519209
New 6"
Upper: Technical microfibre
Ships From 

Slip Resistance

All Mellow Walk footwear has been tested to Z195-14/ISO 13287 and, where listed, ASTM Mark II.



Daisy

CoF	Flat	Heel
Wet Stainless Steel	0.48	0.40
Dry Quarry	0.97	0.80
Wet Quarry	0.77	0.54



Ellie / David

CoF	Flat	Heel
Wet Stainless Steel	1.06	0.96
Dry Quarry	1.34	1.19
Wet Quarry	0.55	0.50

Mark II (Low Soil): Forepart: 33 Heel: 32



Jessica / Owen

CoF	Flat	Heel
Wet Stainless Steel	1.34	0.89
Dry Quarry	1.14	0.98
Wet Quarry	0.88	0.72

Mark II (Low Soil): Forepart: 50 Heel: 43



Jack

CoF	Flat	Heel
Wet Stainless Steel	0.62	0.49
Dry Quarry	0.57	0.55
Wet Quarry	0.41	0.32

Mark II (Wet): Heel: 56



Jamie

CoF	Flat	Heel
Wet Stainless Steel	0.52	0.40
Dry Quarry	1.34	1.19
Wet Quarry	0.34	0.35

Mark II (Wet): Heel: 55



Maddy / Quentin

CoF	Flat	Heel
Wet Stainless Steel	0.63	0.60
Dry Quarry	0.58	0.60
Wet Quarry	0.32	0.34

Mark II (Low Soil): Forepart: 26 Heel: 25



Patrick

CoF	Flat	Heel
Wet Stainless Steel	0.52	0.44
Dry Quarry	0.88	0.91
Wet Quarry	0.35	0.31

Mark II (Wet): Forepart: 61



Patrick2.0

CoF	Flat	Heel
Wet Stainless Steel	0.52	0.44
Dry Quarry	0.88	0.91
Wet Quarry	0.35	0.31

Mark II (Wet): Forepart: 61



Vanessa

CoF	Flat	Heel
Wet Stainless Steel	0.79	0.69
Dry Quarry	0.86	1.01
Wet Quarry	0.56	0.38

Mellow Walk Footwear

Headquarters

17 Milford Avenue
Toronto, ON M6M 2W1

Tel: 416-241-1312
Toll-Free: 800-650-6804
Fax: 416-241-9165

www.mellowwalk.com

Order Desk
Tel: 416-241-1312
orders@mellowwalk.com

Sales

Jeff Violi
VP, Sales (National Accounts, Canada)
Tel: 416-241-1312 x102
jeff@mellowwalk.com

Mathieu Rodrigue
Directeur de Comptes
(Quebec, Maritimes, New England)
Tel: 438-393-7624
mathieu@mellowwalk.com

Mark Young
Accounts Manager, US West
Tel: 626-806-2356
mark@mellowwalk.com

Sue Statler
Our Group
Accounts Manager, Western Canada
Tel: 604-345-1858
sue@ourgroupagency.com

International Distributors

(UAE / MENA)
Loto Safety Products JLT
Tel: 971 4 4539779
info@lotosafetyproducts.com